

# PRODUCT TECHNICAL DATA

V1.2 R10/2020

Model Collection

	BONDI TRIANGLE COLLECTION
--	---------------------------

Manufacture process Nominal size (mm) Group

White body, double firing	115x130x8,5	BIII
---------------------------	-------------	------

TEST RESULT

TESTING STANDARD

Water absorption E>10%UNE-EN ISO 10545-3
Breaking strength N/mm <sup>2</sup> E>12 N/mm <sup>2</sup> UNE-EN ISO 10545-4

Thermal shock resistance UNE-EN ISO 10545-9 Resist

resistance

UNE-EN ISO 10545-11UNE-EN

Crazing resistance Chemical

Resist

ISO 10545-13

Type GLA

Resistance to stains UNE-EN ISO 10545-14 Class 5

--

## APPLICATIONS AND SAFETY INFORMATION

Material for walls

Joint: 2 or 3 mm joint with any wall tile grout

Adhesives: any wall and floor tiles adhesives type C1

# Chemical resistance

UNE-EN ISO 10545-13

G	Ammonium Chloride 100 g/l	A		
G	Sodium hypochlorite 20 mg/l	A		
GL	Hydrochloric acid 3%	A		
GL	Citric acid 100 g/l	A		
GL	Potassium hydroxide 30 g/l	A		
GH	Hydrochloric acid 18%	B		
GH	Lactic acid 5%	A		
GH	Potassium hydroxide 200 g/l	A		

G

A

		GL		A	
		GH		B	

-	Limescale Remover	A
---	-------------------	---


## Resistance to stains

UNE-EN ISO 10545-14

Black agent in light oil	5
--------------------------	---

Iodine solution in alcohol	5
----------------------------	---

Olive oil	5
-----------	---

--	--